## INDEX TO

# EXPERIMENTAL MECHANICS

## Volume 32, 1992

## TITLE INDEX


Application of Grating Objective Speckle Method to Composite Materials — M. Tu, P.J. Gielisse and W. Xu, 83-88 (Mar.).

Automated Simultaneous Measurement of Thickness and Wave Velocity by Ultrasound, An — V. Dayal, 197-202 (Sept.).

Axial Damping in Metal-matrix Composites I — A New Technique for Measuring Phase Difference to $10^{-4}$ Radians — V.K. Kinra and C.G. Wren, 163-171 (June).

Axial Damping in Metal-matrix Composites II — A Theoretical Model and its Experimental Verification — C.G. Wren and V.K. Kinra, 172-178 (June).

Bar Impact Tester for Dynamic Fracture Testing of Ceramics and Ceramic Composites, A — L.R. Deobald and A.S. Kobayashi, 109-116 (June).

Calculation of Strain from an Object Grating on a Reseau Film — K. Anderesen and B. Hubner, 96-101 (June).

Characterization of Mode II Fracture Behavior in Fiber-reinforced Ceramic Composite Utilizing Laser Interferometry — S. Mall and J. Truskowski, 234-239 (Sept).

Comprehensive Analytical Solution for Free Vibration of Rectangular Plates with Classical Edge Conditions: Experimental Verification, A — R.K. Singal, D.J. Gorman and S.A. Forgues, 21-23 (Mar.).

Compressive Strength of Edge-loaded Corrugated Board Panels — E.K. Hahn, A. De Ruvo, B.S. Westerlind and L.A. Carlsson, 259-265 (Sept.).

Computerized Image Processing for Whole-field Determination of Isoclinics and Isochromatics — A.V.S.S.S.R. Sarma, S.A. Pillai, G. Subramanian and T.K. Varadan, 24-29 (Mar.).

Crack Growth Induced by Thermal-mechanical Loading — R. John, G.A. Hartman and J.P. Gallagher, 102-108 (June).

Critical Needs of Fringe-order Accuracies in Two-color Holographic Interferometry — C.S. Vikram and W.K. Witherow, 74-77 (Mar.).

Cyclic Deformation of TiNi Shape-memory Alloy Helical Spring — H. Tobushi, Y. Ohashi, T. Hori and H. Yamamoto, 304-308 (Dec.).

Design of a Biaxial Extensometer for Measuring Strains in Cruciform Specimens — A. Makinde, L. Thibodeau, K.W. Neale and D. Lefebvre, 132-137 (June).

Determination of the Complex Shear Modulus of Structural Adhesives Using a Doubly Clamped Sandwich Beam — K.N. Morman, Jr., C. Li, F. Zhang and R.A. Dickie, 124-131 (June).

Development of an Apparatus of for Biaxial Testing Using Cruciform Specimens — A. Makinde, L. Thibodeau and K.W. Neale, 138-144 (June).

Development of a Test Machine and Method for Galling Studies — A. Eratas, H.J. Carper and W.R. Blackstone, 342-349 (Dec.).

Diffraction Efficiencies of Speckle Patterns Recorded on Photographic Film — Steven H. Collicott, 34-37 (Mar.).

Edge-compression Fixture for Buckling Studies of Corrugated Board Panels — E.K. Hahn, L.A. Carlsson and B.S. Westerlind, 252-258 (Sept.).

Elastic and Yield Behavior of Polyethylene Tubes Subjected to Biaxial Loading, The — M.E. Tuttle, M. Semeliss and R. Wong, 1-10 (Mar.).

Elastic Constant Measurement by Using Line-focus-beam Acoustic Microscope — T. Mihara and M. Obata, 30-33 (Mar.).

Embedded-strain-sensor Development for Composite Smart Structures — T.B. Salzano, C.A. Calder and D.W. De Hart, 225-229 (Sept.).

Estimation of Plated-hole Barrel Stress from Thermally Induced Out-of-plane Displacement Gradients Measured by Electro-optic Holographic Interferometry — T.S. Gross, D.W. Watt and J.A. Perault, 316-322 (Dec.).

Experimental Analysis of Accuracy and Precision of a High-speed Strain-gage System Based on the Direct-resistance Method, An — P. Cappa and Z. Del Prete, 78-82 (Mar.).

Experimental Characterization of Nonlinear Rate-dependent Behavior in Advanced Polymer Composite — Thomas S. Gates, 68-73 (Mar.).

Experimental Determination of the Dynamic Stress-intensity Factor Using Caustics and Photoelasticity — C. Taudou and K. Ravi-Chandar, 203-210 (Sept.)

Experimental Evaluation of Mixed-mode Fracture in Adhesive Bonds — H. Chai, 296-303 (Dec.).

Experimental Investigation of Creep-crack-tip Deformation Using Moiré Interferometry — B.S.-J. Kang, Y.-N. Zhuang and O.-K. Liu, 309-315 (Dec.).

Flow Visualization Study of the Macromechanics of Abrasive-waterjet Turning — A.I. Ansari, M. Hashish and M.M. Ohadi, 358-364 (Dec.).

Fracture Mechanics of a Tension-shear Macrocrack in Rocks — A.K. Maji and J. Wang, 190-196 (June).

Immersion Interferometer for Microscope Moiré Interferometry — B. Han and D. Post, 38-41 (Mar.).

Importance of Attending to Details in Experimental Stress Analysis, The, The 1991 Murry Lecture — Harry Fessler, 42-48 (Mar.).

Isodyne Stress Analysis of Adhesively Bonded Symmetric Joints — J.T. Pindera and G. Wong, 350-359 (Dec.).

Isothermal Low-cycle Fatigue Testing of Microscale Solder Interconnections — T.D. Dudderar, N. Nir, A.R. Storm and C.C. Wong, 11-20 (Mar.).

Measurement of Dynamic Relative Displacements — W.E. Baker and C.R. Farrar, 184-189 (June).

Measurement of Elastoplastic Stresses, On the — William N. Sharpe, Jr., 62-67 (Mar.).

Measurement of Three-dimensional Strains Around a Creep-crack Tip, A — K. Hatanaka, T. Fujimitsu and H. Inoue, 211-217 (Sept.).

Measuring the Stiffness of Concrete Shear Walls During Dynamic Tests — C.R. Farrar and W.E. Baker, 179-183 (June).

New Technique for Ultrasonic Nondestructive Evaluation of Adhesive Joints: Part I. Theory, A — S.E. Hanneman and V.K. Kinra, 323-331 (Dec.).

New Technique for Ultrasonic Nondestructive Evaluation of Adhesive Joints: Part II. Evaluation, A — S.E. Hanneman and V.K. Kinra, 332-341 (Dec.).

Nondestructive Evaluation of Damage in Composite Structures Using Modal Parameter — D.R. Saunders, Y.I. Kim and N. Stubbs, 240-251 (Sept.).

Optimal Sampling and Range of Measurement in Displacement-only Laser-speckle Correlation — D.J. Chen and F.P. Chiang, 145-153 (June).

Photoelastic Analysis of Frozen Stressed Specimens Using Spectral Contents Analysis — S.J. Haake and E.A. Patterson, 266-272 (Sept.).

Response of an Aluminum Composite to Combined Tension Torsion — N. Tsangarakis, G. Pelletier and M.S. Pepi, 49-53 (Mar.).

Sensitivity Analysis of Closed-loop Control Systems on Flexible Structures — S.G. Webb, J.C. Smith, J.S. Turcotte and E. Garcia, 54-61 (Mar.).
Shear Difference Method with Chebysev Polynomials — J. Cernosek, 365-368 (Dec.).
Surface and Interior Strain Fields Measured by Multiple Embedded Grid Moiré and Strain Gages — G. Cloud and S. Paleebut, 273-281 (Sept.).
Surface Integrity of Iconel 718 Nickel-base Superalloy Using Controlled and Natural Contact Length Tools — Part I: Lubricated — A.B. Sadat and M.Y. Reddy, 282-288 (Sept.).
Three-dimensional Effects in Interfacial Crack Propagation — K.M. Liechti, Y.-S. Chai and Y.-M. Liang, 218-224 (Sept.).
Thermoelastic Determination of Individual Stress Components in Loaded Composites — Z. Feng, D. Zhang, R.E. Rowlands and B.I. Sandor, 89-95 (June).
Uniaxial Compression Testing of M30 and JA2 Gun Propellants Using a Statistical Design Strategy — G.A. Gazonas and J.C. Ford, 154-162 (June).
Use of Digital Processing in Studying Stretch-forming Sheet Metal, The — R.B. Joshi, A.E. Bayoumi and H.M. Zbib, 117-123 (June).
Using Strain Gages to Measure Both Strain and Temperature — P. Cappa, G. De Rita, K.G. McConnell and L.W. Zachary, 230-233 (Sept.).
X-ray-based Displacement Measurement for Hostile Environments — H.A. Canistraro, E.H. Jordan and D.M. Pease, 289-295 (Dec.).

## AUTHOR INDEX

**Andresen, K.** — Calculation of Strain from an Object Grating on a Reseau Film, 96-101 (June).
**Ansari, A.I.** — Flow Visualization Study of the Macromechanics of Abrasive-waterjet Turning, 358-364 (Dec.).
**Baker, W.E.** — Measurement of Dynamic Relative Displacements, 184-189 (June).
Measuring the Stiffness of Concrete Shear Walls During Dynamic Tests, 179-183 (June).
**Bayoumi, A.E.** — The Use of Digital Processing in Studying Stretch-forming Sheet Metal, 117-123 (June).
**Blackstone, W.R.** — Development of a Test Machine and Method for Galling Studies, 342-349 (Dec.).
**Canistraro, H.A.** — X-ray-based Displacement Measurement for Hostile Environments, 289-295 (Dec.).
**Calder, C.A.** — Embedded-strain-sensor Development for Composite Smart Structures, 225-229 (Sept.).
**Cappa, P.** — An Experimental Analysis of Accuracy and Precision of a High-speed Strain-gage System Based on the Direct-resistance Method, 78-82 (Mar.).
Using Strain Gages to Measure Both Strain and Temperature, 230-233 (Sept.).
**Carlsson, L.A.** — Edge-compression Fixture for Buckling Studies of Corrugated Board Panels, 252-258 (Sept.).
Compressive Strength of Edge-loaded Corrugated Board Panels, 259-265 (Sept.).
**Carper, H.J.** — Development of a Test Machine and Method for Galling Studies, 342-349 (Dec.).
**Cernosek, J.** — Shear Difference Method with Chebysev Polynomials, 365-368 (Dec.).
**Chai, H.** — Experimental Evaluation of Mixed-mode Fracture in Adhesive Bonds, 296-303 (Dec.).
**Chai, Y.-S.** — Three-dimensional Effects in Interfacial Crack Propagation, 218-224 (Sept.).
**Chen, D.J.** — Optimal Sampling and Range of Measurement in Displacement-only Laser-speckle Correlation, 145-153 (June).
**Chiang, F.P.** — Optimal Sampling and Range of Measurement in Displacement-only Laser-speckle Correlation, 145-153 (June).
**Collicott, S.H.** — Diffraction Efficiencies of Speckle Patterns Recorded on Photographic Film, 34-37 (Mar.).
**Dayal, V.** — An Automated Simultaneous Measurement of Thickness and Wave Velocity by Ultrasound, 197-202 (Sept.).
**De Hart, D.W.** — Embedded-strain-sensor Development for Composite Smart Structures, 225-229 (Sept.).
**De Rita, G.** — Using Strain Gages to Measure Both Strain and Temperature, 230-233 (Sept.).
**De Ruvo, A.** — Compressive Strength of Edge-loaded Corrugated Board Panels, 259-265 (Sept.).
**Del Prete, Z.** — An Experimental Analysis of Accuracy and Precision of a High-speed Strain-gage System Based on the Direct-resistance Method, 78-82 (Mar.).
**Deobald, L.R.** — A Bar Impact Tester for Dynamic Fracture Testing of Ceramics and Ceramic Composites, 109-116 (June).
**Dickie, R.A.** — Determination of the Complex Shear Modulus of Structural Adhesives Using a Doubly Clamped Sandwich Beam, 124-131 (June).
**Dudderar, T.D.** — Isothermal Low-cycle Fatigue Testing of Microscale Solder Interconnections, 11-20 (Mar.).
**Farrar, C.R.** — Measuring the Stiffness of Concrete Shear Walls During Dynamic Tests, 179-183 (June).
Measurement of Dynamic Relative Displacements, 184-189 (June).
**Eratas, A.** — Development of a Test Machine and Method for Galling Studies, 342-349 (Dec.).
**Feng, Z.** — Thermoelastic Determination of Individual Stress Components in Loaded Composites, 89-95 (June).
**Fessler, H.** — The Importance of Attending to Details in Experimental Stress Analysis, The 1991 Murray Lecture, 42-48 (Mar.).
**Ford, J.C.** — Uniaxial Compression Testing of M30 and JA2 Gun Propellants Using a Statistical Design Strategy, 154-162 (June).
**Forgues, S.A.** — A Comprehensive Analytical Solution for Free Vibration of Rectangular Plates with Classical Edge Conditions: Experimental Verification, 21-23 (Mar.).
**Fujimitsu, T.** — A Measurement of Three-dimensional Strains Around a Creep-crack Tip, 211-217 (Sept.).
**Gallagher, J.P.** — Crack Growth Induced by Thermal-mechanical Loading, 102-108 (June).
**Garcia, E.** — A Sensitivity Analysis of Closed-loop Control Systems on Flexible Structures, 54-61 (Mar.).
**Gates, T.S.** — Experimental Characterization of Nonlinear Rate-dependent Bhavior in Advanced Polymer Composite, 68-73 (Mar.).
**Gazonas, G.A.** — Uniaxial Compression Testing of M30 and JA2 Gun Propellants Using a Statistical Design Strategy, 154-162 (June).
**Gielisse, P.J.** — Application of Grating Objective Speckle Method to Composite Materials, 83-88 (Mar.).
**Gorman, D.J.** — A Comprehensive Analytical Solution for Free Vibration of Rectangular Plates with Classical Edge Conditions: Experimental Verification, 21-23 (Mar.).
**Gross, T.S.** — Estimation of Plate-hole Barrel Stress from Thermally Induced Out-of-plan Displacement Gradients Measured by Electro-optic Holographic Interferometry, 316-322 (Dec.).
**Haake, S.J.** — Photoelastic Analysis of Frozen Stressed Specimens Using Spectral Contents Analysis, 266-272 (Sept.).
**Hahn, E.K.** — Edge-compression Fixture for Buckling Studies of Corrugated Board Panels, 252-258 (Sept.).
Compressive Strength of Edge-loaded Corrugated Board Panels, 259-265 (Sept.).
**Han, B.** — Immersion Interferometer for Microscope Moiré Interferometry, 38-41 (Mar.).
**Hanneman, S.E.** — A New Technique for Ultrasonic Nondestructive Evaluation of Adhesive Joints: Part I. Theory, 323-331 (Dec.).
A New Technique for Ultrasonic Nondestructive Evaluation of Adhesive Joints: Part II. Evaluation, 331-341 (Dec.).
**Hashish, M.** — Flow Visualization Study of the Macromechanics of Abrasive-waterjet Turning, 358-364 (Dec.).
**Hatanaka, K.** — A Measurement of Three-dimensional Strains Around a Creep-crack Tip, 211-217 (Sept.).
**Hori, T.** — Cyclic Deformation of TiNi Shape-memory Alloy Helical Spring, 304-308 (Dec.).
**Hubner, B.** — Calculation of Strain from an Object Grating on a Reseau Film, 96-101 (June).
**Inoue, H.** — A Measurement of Three-dimensional Strains Around a Creep-crack Tip, 211-217 (Sept.).
**John, R.** — Crack Growth Induced by Thermal-mechanical Loading, 102-108 (June).
**Jordan, E.H.** — X-ray-based Displacement Measurement for Hostile Environments, 289-295 (Dec.).
**Joshi, R.B.** — The Use of Digital Processing in Studying Stretch-forming Sheet Metal, 117-123 (June).
**Kang, B.S.-J.** — Experimental Investigation of Creep-crack-tip Deformation Using Moiré Interferometry, 309-315 (Dec.).

**Kim, Y.I.** — Nondestructive Evaluation of Damage in Composite Structures Using Modal Parameter, 240-251 (Sept.).
**Kinra, V.K.** — Axial Damping in Metal-matrix Composites I — A New Technique for Measuring Phase Difference to $10^{-4}$ Radians, 163-171 (June).
Axial Damping in Metal-matrix Composites II — A Theoretical Model and its Experimental Verification, 172-178 (June).
A New Technique for Ultrasonic Nondestructive Evaluation of Adhesive Joints: Part I. Theory, 323-331 (Dec.).
A New Technique for Ultrasonic Nondestructive Evaluation of Adhesive Joints: Part II. Evaluation, 331-341 (Dec.).
**Kobayashi, A.S.** — A Bar Impact Tester for Dynamic Fracture Testing of Ceramics and Ceramic Composites, 109-116 (June).
**Lefebvre, D.** — Design of a Biaxial Extensometer for Measuring Strains in Cruciform Specimens, 132-137 (June).
**Li, C.** — Determination of the Complex Shear Modulus of Structural Adhesives Using a Doubly Clamped Sandwich Beam, 124-131 (June).
**Liang, Y.-M.** — Three-dimensional Effects in Interfacial Crack Propagation, 218-224 (Sept.).
**Liechti, K.M.** — Three-dimensional Effects in Interfacial Crack Propagation, 218-224 (Sept.).
**Liu, O.-K.** — Experimental Investigation of Creep-crack-tip Deformation Using Moiré Interferometry, 309-315 (Dec.).
**Maji, A.K.** — Fracture Mechanics of a Tension-shear Macrocrack in Rocks, 190-196 (June).
**Makinde, A.** — Design of a Biaxial Extensometer for Measuring Strains in Cruciform Specimens, 132-137 (June).
Development ot an Apparatus of for Biaxial Testing Using Cruciform Specimens, 138-144 (June).
**Mall, S.** — Characterization of Mode II Fracture Behavior in Fiber-reinforced Ceramic Composite Utilizing Laser Interferometry, 234-239 (Sept.).
**McConnell, K.G.** — Using Strain Gages to Measure Both Strain and Temperature, 230-233 (Sept.).
**Mihara, T.** — Elastic Constant Measurement by Using Line-focus-beam Acoustic Microscope, 30-33 (Mar.).
**Morman, Jr., K.N.** — Determination of the Complex Shear Modulus of Structural Adhesives Using a Doubly Clamped Sandwich Beam, 124-131 (June).
**Neale, K.W.** — Design of a Biaxial Extensometer for Measuring Strains in Cruciform Specimens, 132-137 (June).
Development of an Apparatus of for Biaxial Testing Using Cruciform Specimens, 138-144 (June).
**Nir, N.** — Isothermal Low-cycle Fatigue Testing of Microscale Solder Interconnections, 11-20 (Mar.).
**Obata, M.** — Elastic Constant Measurement by Using Line-focus-beam Acoustic Microscope, 30-33 (Mar.).
**Ohadi, M.M.** — Flow Visualization Study of the Macromechanics of Abrasive-waterjet Turning, 358-364 (Dec.).
**Ohashi, Y.** — Cyclic Deformation of TiNi Shape-memory Alloy Helical Spring, 304-308 (Dec.).
**Paleebut, S.** — Surface and Interior Strain Fields Measured by Multiple Embedded Grid Moiré and Strain Gages, 273-281 (Sept.).
**Patterson, E.A.** — Photoelastic Analysis of Frozen Stressed Specimens Using Spectral Contents Analysis, 266-272 (Sept.).
**Pease, D.M.** — X-ray-based Displacement Measurement for Hostile Environments, 289-295 (Dec.).
**Pelletier, G.** — Response of an Aluminum Composite to Combined Tension Torsion, 49-53 (Mar.).
**Pepi, M.S.** — Response of an Aluminum Composite to Combined Tension Torsion, 49-53 (Mar.).
**Perault, J.A.** — Estimation of Plate-hole Barrel Stress from Thermally Induced Out-of-plan Displacement Gradients Measured by Electro-optic Holographic Interferometry, 316-322 (Dec.).
**Pindera, J.T.** — Isodyne Stress Analysis of Adhesively Bonded Symmetric Joints, 350-359 (Dec.).
**Pillai, S.A.** — Computerized Image Processing for Whole-field Determination of Isoclinics and Isochromatics, 24-29 (Mar.).
**Post, D.** — Immersion Interferometer for Microscope Moiré Interferometry, 38-41 (Mar.).
**Ravi-Chandar, K.** — Experimental Determination of the Dynamic Stress-intensity Factor Using Caustics and Photoelasticity, 203-210 (Sept.).
**Reddy, M.Y.** — Surface Integrity of Iconel 718 Nickel-base Superalloy Using Controlled and Natural Contact Length Tools — Part I: Lubricated, 282-288 (Sept.).
**Rowlands, R.E.**—Thermoelastic Determination of Individual Stress Components in Loaded Composites, 89-95 (June).
**Sandor, B.I.** — Thermoelastic Determination of Individual Stress Components in Loaded Composites, 89-95 (June).
**Sadat, A.B.** — Surface Integrity of Iconel 718 Nickel-base Superalloy Using Controlled and Natural Contact Length Tools — Part I: Lubri cated, 282-288 (Sept.).
**Salzano, T.B.** — Embedded-strain-sensor Development for Composite Smart Structures, 225-229 (Sept.).
**Sarma, A.V.S.S.S.R.** — Computerized Image Processing for Whole-field Determination of Isoclinics and Isochromatics, 24-29 (Mar.).
**Saunders, D.R.** — Nondestructive Evaluation of Damage in Composite Structures Using Modal Parameter, 240-251 (Sept.).
**Semeliss, M.** — The Elastic and Yield Behavior of Polyethylene Tubes Subjected to Biaxial Loading, 1-10 (Mar.).
**Sharpe, Jr., W.N.** — On the Measurement of Elastoplastic Stresses, 62-67 (Mar.).
**Singal, R.K.** — A Comprehensive Analytical Solution for Free Vibration of Rectangular Plates with Classical Edge Conditions: Experimental Verification, 21-23 (Mar.).
**Smith, J.C.** — A Sensitivity Analysis of Closed-loop Control Systems on Flexible Structures, 54-61 (Mar.).
**Storm, A.R.** — Isothermal Low-cycle Fatigue Testing of Microscale Solder Interconnections, 11-20 (Mar.).
**Stubbs, N.** — Nondestructive Evaluation of Damage in Composite Structures Using Modal Parameter, 240-251 (Sept.).
**Subramanian, G.** — Computerized Image Processing for Whole-field Determination of Isoclinics and Isochromatics, 24-29 (Mar.).
**Taudou, C.** — Experimental Determination of the Dynamic Stress-intensity Factor Using Caustics and Photoelasticity, 203-210 (Sept.).
**Thibodeau, L.** — Design of a Biaxial Extensometer for Measuring Strains in Cruciform Specimens, 132-137 (June).
Development of an Apparatus of for Biaxial Testing Using Cruciform Specimens, 138-144 (June).
**Tobushi, H.** — Cyclic Deformation of TiNi Shape-memory Alloy Helical Spring, 304-308 (Dec.).
**Truskowski, J.** — Characterization of Mode II Fracture Behavior in Fiber-reinforced Ceramic Composite Utilizing Laser Interferometry, 234-239 (Sept.).
**Tsangarakis, N.** — Response of an Aluminum Composite to Combined Tension Torsion, 49-53 (Mar.).
**Turcotte, J.S.** — A Sensitivity Analysis of Closed-loop Control Systems on Flexible Structures, 54-61 (Mar.).
**Tuttle, M.E.** — The Elastic and Yield Behavior of Polyethylene Tubes Subjected to Biaxial Loading, 1-10 (Mar.).
**Varadan, T.K.** — Computerized Image Processing for Whole-field Determination of Isoclinics and Isochromatics, 24-29 (Mar.).
**Vikram, C.S.** — Critical Needs of Fringe-order Accuracies in Two-color Holographic Interferometry, 74-77 (Mar.).
**Wang, J.** — Fracture Mechanics of a Tension-shear Macrocrack in Rocks, 190-196 (June).
**Watt, D.W.** — Estimation of Plate-hole Barrel Stress from Thermally Induced Out-of-plan Displacement Gradients Measured by Electro-optic Holographic Interferometry, 316-322 (Dec.).
**Webb, S.G.** — A Sensitivity Analysis of Closed-loop Control Systems on Flexible Structures, 54-61 (Mar.).
**Westerlind, B.S.** — Edge-compression Fixture for Buckling Studies of Corrugated Board Panels, 252-258 (Sept.).
Compressive Strength of Edge-loaded Corrugated Board Panels, 259-265 (Sept.).
**Witherow, W.K.** — Critical Needs of Fringe-order Accuracies in Two-color Holographic Interferometry, 74-77 (Mar.).
**Wong, C.C.** — Isothermal Low-cycle Fatigue Testing of Microscale Solder Interconnections, 11-20 (Mar.).
**Wong, G.** — Isodyne Stress Analysis of Adhesively Bonded Symmetric Joints, 350-359 (Dec.).
**Wong, R.** — The Elastic and Yield Behavior of Polyethylene Tubes Subjected to Biaxial Loading, 1-10 (Mar.).
**Wren, C.G.** — Axial Damping in Metal-matrix Composites I — A New

Technique for Measuring Phase Difference to $10^{-4}$ Radians, 163-171 (June).
Axial Damping in Metal-matrix Composites II — A Theoretical Model and its Experimental Verification, 172-178 (June).
**Zachary, L.W.** — Using Strain Gages to Measure Both Strain and Temperature, 230-233 (Sept.).
**Yamamoto, H.** — Cyclic Deformation of TiNi Shape-memory Alloy Helical Spring, 304-308 (Dec.).
**Zbib, H.M.** — The Use of Digital Processing in Studying Stretch-forming Sheet Metal, 117-123 (June).
**Zhang, D.** — Thermoelastic Determination of Individual Stress Components in Loaded Composites, 89-95 (June).
**Zhang, F.** — Determination of the Complex Shear Modulus of Structural Adhesives Using a Doubly Clamped Sandwich Beam, 124-131 (June).
**Zhuang, Y.-N.** — Experimental Investigation of Creep-crack-tip Deformation Using Moiré Interferometry, 309-315 (Dec.).

U.S. Postal Service

**STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION**

*Required by 39 U.S.C. 3685)*

| 1A. TITLE OF PUBLICATION | 1B. PUBLICATION NO. | 2. DATE OF FILING |
|---|---|---|
| EXPERIMENTAL MECHANICS | 0 0 1 4 4 8 5 1 | 10/29/92 |
| **3. FREQUENCY OF ISSUE** | **3A. NO. OF ISSUES PUBLISHED ANNUALLY** | **3B. ANNUAL SUBSCRIPTION PRICE** |
| Quarterly | 4 | $75.00 |

**4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION** *(Street, City, County, State and ZIP+4 Code) (Not printer)*

Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

**5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OF GENERAL BUSINESS OFFICES OF THE PUBLISHER** *(Not printer)*

Same as #4

**6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR** *(This item MUST NOT be blank)*

**PUBLISHER** *(Name and Complete Mailing Address)*

K.A. Galione, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

**EDITOR** *(Name and Complete Mailing Address)*

Same as #6

**MANAGING EDITOR** *(Name and Complete Mailing Address)*

M.E. Yergin, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

**7. OWNER** *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)*

| FULL NAME | COMPLETE MAILING ADDRESS |
|---|---|
| Society for Experimental Mechanics, Inc. | 7 School Street., Bethel, CT 06801 |
| | |
| | |
| | |
| | |

**8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES** *(If there are none, so state)*

| FULL NAME | COMPLETE MAILING ADDRESS |
|---|---|
| | |
| | |
| | |
| | |
| | |

**9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES** *(Section 423.12 DMM only)*
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes *(Check one)*

(1) [X] HAS NOT CHANGED DURING PRECEDING 12 MONTHS
(2) [ ] HAS CHANGED DURING PRECEDING 12 MONTHS *(If changed, publisher must submit explanation of change with this statement.)*

| 10. EXTENT AND NATURE OF CIRCULATION *(See instructions on reverse side)* | AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS | ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE |
|---|---|---|
| A. TOTAL NO. COPIES *(Net Press Run)* | 2525 | 2650 |
| B. PAID AND/OR REQUESTED CIRCULATION 1. Sales through dealers and carriers, street vendors and counter sales | 0 | 0 |
| 2. Mail Subscription *(Paid and/or requested)* | 2095 | 2059 |
| C. TOTAL PAID AND/OR REQUESTED CIRCULATION *(Sum of 10B1 and 10B2)* | 2095 | 2059 |
| D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES | 106 | 332 |
| E. TOTAL DISTRIBUTION *(Sum of C and D)* | 2201 | 2391 |
| F. COPIES NOT DISTRIBUTED 1. Office use, left over, unaccounted, spoiled after printing | 324 | 259 |
| 2. Return from News Agents | 0 | 0 |
| G. TOTAL *(Sum of E, F1 and 2–should equal net press run shown in A)* | 2525 | 2650 |

| 11. I certify that the statements made by me above are correct and complete | SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER |
|---|---|
| | /s/ K.A. Galione, Publisher |